	Hits	Search Text	DBs
1	3543	(authorization or (secur\$3 near2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	493	(dynamic\$5 or run\$1time or (run adj time)) near3 (authorization or (secur\$3 near2 polic\$3) or privilege\$1 or (access near right\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	240	S167 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	8	provisional or ephemeral or changeble) near5 (membership or right or privilege	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	218	(authorization or (secur\$3 near2 polic\$3) or privilege\$1 or (access near	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	95	S175 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	114	(garg-praerit.in. or reichel-robert.in. or ward-richard.in. or dubhashi-kedarnath or hamblin-jeffrey.in. or hopkins-anne.in.) and authoriz\$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
8	29	("4962449" "5138712" "5276901" "5321841" "5390247" "5412717" "5506961" "5542046" "5638448" "5649099" "5675782" "5678041" "5680461" "5682478" "5745676" "5757916" "5761669" "5812784" "5826029" "5845067" "5922073" "5925109" "5940591" "5941947" "5949882" "5983270" "5983350" "6081807" "6105132").PN.	US-PGPUB; USPAT; USOCR
9	13	("5922073").URPN.	USPAT
10	4613 _.	713/182- 183,185,200;709/225,229;707/9.ccls. and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT
11	88	S184 and ((dynamic\$5) near5 (authorization or privilege\$1 or (access near (right\$1 or control))))	US-PGPUB; USPAT
12	172	(workflow or task\$1based) with (access near2 (rights or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	39	S187 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	162	(access near2 control near2 (entr\$3 or list\$1)) near5 (exten\$3 or modif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	22	(access near2 control near2 entr\$3) near5 (exten\$4 or modif\$3 or special)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	229	(access near2 (control or right\$1)) with behavior	US-PGPUB; USPAT

	Hits	Search Text	DBs
17	7	(access near2 (control or right\$1)) near5 (behavior near3 (user or requestor or client))	US-PGPUB; USPAT
18	8	S191 and (intru\$4 near3 detect\$3)	US-PGPUB; USPAT
19	22	access near2 control near2 entr\$3 near5 type\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	8439	1103, 103,200,709/223,229,707/9.CCIS.	US-PGPUB; USPAT
21	468	S195 and ("access control" near2 (list or entr\$3))	US-PGPUB; USPAT
22	41	S196 and ((time or location or device) near5 restrict\$3)	US-PGPUB; USPAT
23	21	S197 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT
24	65	right)) with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	30	S199 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	8	S200 and (("access control" near (list or entr\$3)) or acl or ace)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB